

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,880,874 B1
APPLICATION NO. : 10/698544
DATED : April 19, 2005
INVENTOR(S) : Kris Kallenberger et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page:

Item "(56) **References Cited**", further under "U.S. PATENT DOCUMENTS",
change "1,649,435 A * 11/1927 Wood et al. 296/37.9" to
--1,649,435 A * 11/1927 Woods et al. 296/37.9--.

Column 1:

Line 25, change "the sane area." to --the same area.--.

Column 5:

Line 22, change "place ent over" to --placement over--.

Column 6:

Line 66, change "said stage receptacle" to --said storage receptacle--.


Column 8:

Line 1, change "substantial ly" to --substantially--.

Line 21, change "said fit side" to --said first side--.

Signed and Sealed this

Fifteenth Day of January, 2008

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D".

JON W. DUDAS
Director of the United States Patent and Trademark Office